






HD DIS Fixed Lens Weatherproof IR Cameras



No	Photos	Model	Resolution & Solution	Price Rls	Main Specification
1		PB624/80C	1/3" HD DIS Sensor800TVLWith IR-CUT Filter	1, 350, 000	Vandalproof IR Camera Quickly Installation & Adjusting 24 pcs* \varnothing 5mm IR LED IR Distance 30m 3-Axis Design Built-in 3.6 mm Board Lens Al-Alloy Case, IP66
2		PB700/80C	1/3" HD DIS Sensor800TVLWith IR-CUT Filter	1, 400, 000	Vandalproof IR Camera Quickly Installation & Adjusting 36 pcs* \varnothing 5mm IR LED IR Distance 40m 3-Axis Design Built-in 3.6 mm Board Lens Al-Alloy Case, IP66
3		PB707/80C	1/3" HD DIS Sensor800TVLWith IR-CUT Filter	1, 800, 000	Vandalproof IR Camera Quickly Installation & Adjusting 1 pcs Strong Array LED IR Distance 40m 3-Axis Design Built-in 3.6 mm Board Lens Al-Alloy Case, IP66
4		PB708/80C	1/3" HD DIS Sensor800TVLWith IR-CUT Filter	1, 800, 000	Vandalproof IR Camera Quickly Installation & Adjusting 1 pcs Strong Array LED IR Distance 40m 3-Axis Design Built-in 3.6 mm Board Lens Al-Alloy Case, IP66
5		PB903/70S	1/3" HD DIS Sensor800TVLWith IR-CUT Filter	1, 300, 000	Vandalproof IR Camera Quickly Installation & Adjusting 36 pcs* \varnothing 5mm IR LED IR Distance 40m 3-Axis Design Built-in 3.6 mm Board Lens Al-Alloy Case, IP66
7		PD360/80C	1/3" HD DIS Sensor800TVLWith IR-CUT Filter	1, 350, 000	Vandalproof IR Dome Camera Quickly Installation & Adjusting 4 pcs Strong Array LED IR Distance 40m 3-Axis Design Built-in 3.6 mm Board Lens plastic body, IP66

8		PB315/80C	1/3" HD DIS Sensor800TVLWith IR-CUT Filter	1, 300, 000	Vandalproof IR Dome Camera Quickly Installation & Adjusting 24 Pcs IR LED IR Distance 40m 3-Axis Design Built-in 3.6 mm Board Lens plastic bady, IP66
---	---	-----------	--	-------------	--

Sony Fixed Lens Weatherproof IR Cameras

1		PB700/70S	1/3" SONY SUPER HAD CCD II 700TVL OSD: 2D-DNR / D-WDR / HLC / BLC	1,750,000	Vandalproof IR Camera Quickly Installation & Adjusting 36 Pcs IR LED IR Distance 40m 3-Axis Design Built-in 3.6 mm Board Lens plastic bady, IP66
2		PB707/70S	1/3" SONY SUPER HAD CCD II 700TVL OSD: 2D-DNR / D-WDR / HLC / BLC	2,200,000	Vandalproof IR Dome Camera Quickly Installation & Adjusting 1 pcs Strong Array LED IR Distance 40m 3-Axis Design Built-in 3.6 mm Board Lens plastic bady, IP66
3		PB708/70S	1/3" SONY SUPER HAD CCD II 700TVL OSD: 2D-DNR / D-WDR / HLC / BLC	2,200,000	Vandalproof IR Camera Quickly Installation & Adjusting 1 pcs Strong Array LED IR Distance 40m 3-Axis Design Built-in 3.6 mm Board Lens plastic bady, IP66
4		PB730/70S	1/3" HD DIS Sensor800TVLWith IR-CUT FilterOSD: 2D-DNR / WDR / HLC / BLC	2, 200, 000	Weatherproof IR Camera, 3-Axis BracketHidden Cable, Design36 pcs*Ø5mm IR LEDIR Distance 35M, Built-in 3.6 mm Board Lenns, Water resistance: IP66

Verifocal Lens DIS Weatherproof IR Cameras

1		PB703F/70S	<p>1/3" HD DIS Sensor800TVLWith IR-CUT FilterOSD: 2D-DNR / WDR / HLC / BLC</p>	2, 600, 000	<p>Varifocal Weatherproof IR Camera, 3-Axis BracketHidden Cable, Design36 pcs*\varnothing5mm IR LEDIR Distance 35M, 2.8-12mm Manual zoom Lens, Water resistance: IP66</p>
2		PB730/70S	<p>1/3" HD DIS Sensor800TVLWith IR-CUT FilterOSD: 2D-DNR / WDR / HLC / BLC</p>	2, 450, 000	<p>Varifocal Weatherproof IR Camera, 3-Axis BracketHidden Cable, Design36 pcs*\varnothing5mm IR LEDIR Distance 35M, 2.8-12mm Manual zoom Lens, Water resistance: IP66</p>